



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2410SMIL0805.4545
 BioTrack Lot ID:



CERTIFICATE OF ANALYSIS
 License #: 800000016

Certificate: 25056

Cannabinoids

Tested

Sample Analysis

Sample Prep Date: 10/16/2024
 Sample Analysis Date: 10/16/2024
 Analyzed By: Agilent 1260 HPLC
 SOP: SOP-CANN-001

Analyte	LOD (%)	LOQ (%)	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
CBC	-5e05	0.000100	< LOQ	< LOQ	< LOQ	< LOQ
CBCA	-5e05	0.000100	ND	ND	ND	ND
CBDV	-5e05	0.000100	ND	ND	ND	ND
CBDVA	-5e05	0.000100	ND	ND	ND	ND
CBD	-5e05	0.000100	ND	ND	ND	ND
CBDA	-5e05	0.000100	ND	ND	ND	ND
CBG	-5e05	0.000100	0.00015	0.00151	0.0181	0.0903
CBGA	-5e05	0.000100	ND	ND	ND	ND
CBN	-5e05	0.000100	0.000185	0.00185	0.0222	0.111
Δ8-THC	-5e05	0.000100	ND	ND	ND	ND
Δ8-THCV	-5e05	0.000100	NT	NT	NT	NT
Δ9-THC	-5e05	0.000100	0.00841	0.0841	1.01	5.05
Δ9-THCV	-5e05	0.000100	< LOQ	< LOQ	< LOQ	< LOQ
THCVA	-5e05	0.000100	ND	ND	ND	ND
THCA	-5e05	0.000100	ND	ND	ND	ND

Cannabinoid Totals	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
Total THC	0.00841	0.0841	1.01	5.05
Total CBD	ND	ND	ND	ND
Total Cannabinoids	0.00875	0.0875	1.05	5.25

Total THC = THCa * 0.877 + Δ9-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all analytes

Serving Weight: 12g;

Report Notes:

Landen Nickel
 Operations Manager

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



This analysis was performed for R&D purposes and are for internal business use only. Test results apply to samples within this analysis only. Test results shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2410SMIL0867.4984
 BioTrack Lot ID:



CERTIFICATE OF ANALYSIS
 License #: 800000016

Certificate: 25669


Terpenes

Tested

Sample Analysis

Sample Prep Date: 11/01/2024
 Sample Analysis Date: 11/04/2024
 Analyzed By: GC-FID
 SOP: SOP_TERP_002

Analyte	LOD (%)	LOQ (%)	Results (%)	Analyte	LOD (%)	LOQ (%)	Results (%)
3-Carene	0.00290	0.00869	ND	Fenchone	0.00578	0.0173	ND
α-Bisabolol	0.00290	0.00869	ND	Geraniol	0.00290	0.00869	ND
α-Cedrene	0.00290	0.00869	ND	Geranyl Acetate	0.00290	0.00869	ND
α-Humulene	0.00290	0.00869	ND	Guaiol	0.00290	0.00869	ND
α-Phellandrene	0.00290	0.00869	ND	Isoborneol	0.00290	0.00869	0.014
α-Pinene	0.00290	0.00869	ND	Isopulegol	0.00290	0.00869	ND
α-Terpinene	0.00290	0.00869	ND	Limonene	0.00290	0.00869	ND
β-Caryophyllene	0.00290	0.00869	ND	Linalool	0.00290	0.00869	ND
β-Myrcene	0.00578	0.0173	ND	Menthol	0.00290	0.00869	ND
β-Pinene	0.00290	0.00869	ND	Nerol	0.00290	0.00869	ND
Borneol	0.00578	0.0173	0.0257	Pulegone	0.00290	0.00869	ND
Camphene	0.00290	0.00869	ND	Sabinene Hydrate	0.00290	0.00869	ND
Camphor	0.00869	0.0261	< LOQ	Terpineol	0.00290	0.00869	ND
Caryophyllene Oxide	0.00290	0.00869	ND	Terpinolene	0.00290	0.00869	ND
Cedrol	0.00290	0.00869	ND	trans-Nerolidol	0.00290	0.00869	ND
cis-Nerolidol	0.00290	0.00869	ND	trans-Ocimene	0.00242	0.00726	ND
cis-Ocimene	0.000480	0.00143	ND	Valencene	0.00290	0.00869	ND
endo-Fenchyl Alcohol	0.00290	0.00869	ND	γ-Terpinene	0.00290	0.00869	ND
Eucalyptol	0.00290	0.00869	ND				



Report Notes:

Landen Nickel
 Operations Manager

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2410SMIL0867.4984
 BioTrack Lot ID:



CERTIFICATE OF ANALYSIS
 License #: 800000016

Certificate: 25669

Pesticides

Tested

Sample Analysis

Sample Prep Date: 11/01/2024
 Sample Analysis Date: 11/04/2024
 Analyzed By: Agilent Ultivo LC-MS/MS
 SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)
Acetamiprid	4.91	9.81	ND	Flonicamid	12.3	24.5	ND
Aldicarb	9.81	19.6	ND	Imidacloprid	9.81	19.6	ND
Bifenthrin	9.81	19.6	ND	Kresoxim Methyl	4.91	9.81	ND
Carbaryl	9.81	19.6	ND	Metalaxyl	9.81	19.6	ND
Carbofuran	9.81	19.6	ND	Oxamyl	24.5	49.1	ND
Chlorantraniliprole	9.81	19.6	ND	Phosmet	9.81	19.6	ND
Chlorpyrifos	4.91	9.81	ND	Pyridaben	4.91	9.81	ND
Clofentezine	4.91	9.81	ND	Spiromesifen	4.91	9.81	ND
Diazinon	9.81	19.6	ND	Spirotetramat	4.91	9.81	ND
Ethrophos	9.81	19.6	ND	Tebuconazole	19.6	39.2	ND
Etofenprox	4.91	9.81	ND	Thiamethoxam	9.81	19.6	ND
Etoxazole	4.91	9.81	ND	Trifloxystrobin	4.91	9.81	ND
Fenpyroximate	4.91	9.81	ND				

Mycotoxins

Tested

Sample Analysis

Sample Prep Date: 11/01/2024
 Sample Analysis Date: 11/04/2024
 Analyzed By: Agilent Ultivo LC-MS/MS
 SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)
Aflatoxin B1	6.48	19.6	ND
Aflatoxin B2	6.48	19.6	ND
Aflatoxin G1	6.48	19.6	ND
Aflatoxin G2	6.48	19.6	ND
Ochratoxin A	6.48	19.6	ND

Report Notes:

Landen Nickel
 Operations Manager

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2410SMIL0867.4984
 BioTrack Lot ID:



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 800000016

Certificate: 25669

Heavy Metals

Tested

Sample Analysis

Sample Prep Date: 11/01/2024
 Sample Analysis Date: 11/04/2024
 Analyzed By: Agilent 7800 ICP-MS
 SOP: SOP_HM_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)
Cadmium	1.71	85.3	ND
Mercury	1.71	8.53	ND
Lead	1.71	85.3	ND
Chromium	1.71	85.3	< LOQ
Arsenic	1.71	85.3	< LOQ

Microbial Impurities

Tested

Sample Analysis

Sample Prep Date: 11/01/2024
 Sample Analysis Date: 11/04/2024
 Analyzed By: 3M Petrifilm
 SOP: SOP_MICRO_001

Analyte	Results (cfu/g)
Total Aerobic Bacteria	ND
Total Bile-Tolerant Gram-Negative Bacteria	ND
Total Coliforms	ND
Total Yeast & Mold	ND
<i>E.coli</i> (pathogenic strains)	Not Detected
<i>Salmonella</i> spp.	Not Detected

Report Notes:

Landen Nickel
 Operations Manager

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2410SMIL0867.4984
 BioTrack Lot ID:



CERTIFICATE OF ANALYSIS
 License #: 800000016

Certificate: 25669

Residual Solvents

Tested

Sample Analysis

Sample Prep Date: 11/01/2024
 Sample Analysis Date: 11/04/2024
 Analyzed By: GCMS
 SOP: SOP-RS-001

Analyte	LOD (ppm)	LOQ (ppm)	Results (ppm)
Acetone	7.40	14.8	ND
Butane	7.40	14.8	ND
Ethanol	7.40	14.8	544
Ethyl Acetate	7.40	14.8	ND
Ethyl Ether	7.40	14.8	ND
Ethylene Oxide	1.23	2.47	ND
Heptane	7.40	14.8	ND
Hexane	7.40	14.8	ND
Isopropyl Alcohol	7.40	14.8	ND
Methanol	7.40	14.8	ND
Methylene Chloride	7.40	14.8	ND
Pentane	7.40	14.8	ND
Petroleum Ether	7.40	14.8	ND
Propane	7.40	14.8	ND
Trichloroethylene	7.40	14.8	ND
Toluene	7.40	14.8	ND
Xylenes	14.8	29.6	ND

Report Notes:

Landen Nickel
 Operations Manager

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2410SMIL0867.4984
 BioTrack Lot ID:



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 800000016

Certificate: 25669

Foreign Matter

0.0%

Sample Analysis

Sample Prep Date: 11/01/2024
 Sample Analysis Date: 11/01/2024
 Analyzed By: Visual Inspection
 SOP: SOP_FM_001



Report Notes:

Landen Nickel
 Operations Manager

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.